

ASSEMBLED
306mm



ASSEMBLED
1240mm

ASSEMBLED
2235mm

ULTIMA EVOLUTION QUICK 3x1

IMPORTANT PLEASE NOTE:

IMPORTED RASTERISED AND VECTOR IMAGES ARE TO BE IN CMYK COLOUR MODE. RASTERISED IMAGES TO BE AT A RESOLUTION OF 150dpi AT 100%. IT IS ALSO POSSIBLE TO PRODUCE ARTWORK AT HALF SIZE WITH IMPORTED IMAGES AT A RESOLUTION OF 300dpi AT 50%, OR AT QUARTER SIZE AT A RESOLUTION OF 600dpi AT 25%

PLEASE ENSURE ANY BACKGROUND COLOUR / IMAGES EXTEND TO PROVIDE APPROX 5mm BLEED AT 100%

IF SUPPLYING INDESIGN OR QUARK FILES PLEASE SUPPLY ALL IMPORTED LINKS AND FONTS


CONVERT TEXT TO OUTLINES IN IMPORTED VECTOR FILES

IF SUPPLYING HI-RES PDFs ENSURE ADOBE PDF PRESET IS SET TO [PRESS QUALITY], ADOBE ACROBAT 4 (PDF 1.3), TRANSPARENCY FLATTENER SET TO [HI-RESOLUTION]

ACCEPTABLE FILE FORMATS: PDF, EPS, TIFF, JPEG, PS

WE HIGHLY RECOMMEND THAT YOU ALSO REFER TO OUR FILE PREPARATION GUIDELINES WHICH ARE DOWNLOADABLE FROM OUR WEBSITE

N.B. FAILURE TO SUPPLY FILES TO OUR SPECIFICATIONS MAY INCUR STUDIO CHARGES



PLEASE NOTE: VISUAL FOR ILLUSTRATIVE PURPOSES ONLY. DO NOT SCALE.

SPECIFICATIONS

GRAPHIC PANEL DIMENSIONS

Front 673mm W x 2225mm H
 End 673mm W x 2225mm H
 Rear 810mm W x 2225mm H

ASSEMBLED DIMENSIONS


1240mm W x 2235mm H x 306mm D

DRUM WRAP PANEL DIMENSIONS


(ULTIMA ELIPSE)
 1725mm W x 770mm H

PANEL JOINS: PLEASE AVOID TEXT / LETTERS FROM RUNNING OVER PANEL JOINS. TRY AND POSITION THE TEXT SO THAT THE JOIN EITHER GOES THROUGH WORD SPACES OR BETWEEN CHARACTERS, ADJUSTING THE KERNING AS NECESSARY.

END PANELS: PLEASE REMEMBER THAT TEXT / LOGOS ETC. PLACED CENTRALLY ON END PANELS MAY BE LOST ON THE CURVE WHEN VIEWED FROM THE FRONT.



ASSEMBLED
485mm



ASSEMBLED
1930mm

ULTIMA EVOLUTION QUICK 3x2

IMPORTANT PLEASE NOTE:

IMPORTED RASTERISED AND VECTOR IMAGES ARE TO BE IN CMYK COLOUR MODE. RASTERISED IMAGES TO BE AT A RESOLUTION OF 150dpi AT 100%. IT IS ALSO POSSIBLE TO PRODUCE ARTWORK AT HALF SIZE WITH IMPORTED IMAGES AT A RESOLUTION OF 300dpi AT 50%, OR AT QUARTER SIZE AT A RESOLUTION OF 600dpi AT 25%

PLEASE ENSURE ANY BACKGROUND COLOUR / IMAGES EXTEND TO PROVIDE APPROX 5mm BLEED AT 100%

IF SUPPLYING INDESIGN OR QUARK FILES PLEASE SUPPLY ALL IMPORTED LINKS AND FONTS

CONVERT TEXT TO OUTLINES IN IMPORTED VECTOR FILES


IF SUPPLYING HI-RES PDFs ENSURE ADOBE PDF PRESET IS SET TO [PRESS QUALITY], AROBAT 4 (PDF 1.3), TRANSPARENCY FLATTENER SET TO [HI-RESOLUTION]

ACCEPTABLE FILE FORMATS: PDF, EPS, TIFF, JPEG, PS

WE HIGHLY RECOMMEND THAT YOU ALSO REFER TO OUR FILE PREPARATION GUIDELINES WHICH ARE DOWNLOADABLE FROM OUR WEBSITE

N.B. FAILURE TO SUPPLY FILES TO OUR SPECIFICATIONS MAY INCUR STUDIO CHARGES

ASSEMBLED
2235mm




PLEASE NOTE: VISUAL FOR ILLUSTRATIVE PURPOSES ONLY. DO NOT SCALE.

SPECIFICATIONS		
<p>GRAPHIC PANEL DIMENSIONS</p> <p>Front 673mm W x 2225mm H</p> <p>End 673mm W x 2225mm H</p> <p>Rear 810mm W x 2225mm H</p>	<p>ASSEMBLED DIMENSIONS</p> <p>1930mm W x 2235mm H x 485mm D</p>	<p>DRUM WRAP PANEL DIMENSIONS (ULTIMA ELIPSE)</p> <p>1725mm W x 770mm H</p>

PANEL JOINS: PLEASE AVOID TEXT / LETTERS FROM RUNNING OVER PANEL JOINS. TRY AND POSITION THE TEXT SO THAT THE JOIN EITHER GOES THROUGH WORD SPACES OR BETWEEN CHARACTERS, ADJUSTING THE KERNING AS NECESSARY.

END PANELS: PLEASE REMEMBER THAT TEXT / LOGOS ETC. PLACED CENTRALLY ON END PANELS MAY BE LOST ON THE CURVE WHEN VIEWED FROM THE FRONT.



ASSEMBLED
685mm

ASSEMBLED
2540mm

ASSEMBLED
2235mm

ULTIMA EVOLUTION QUICK 3x3

IMPORTANT PLEASE NOTE:

IMPORTED RASTERISED AND VECTOR IMAGES ARE TO BE IN CMYK COLOUR MODE. RASTERISED IMAGES TO BE AT A RESOLUTION OF 150dpi AT 100%. IT IS ALSO POSSIBLE TO PRODUCE ARTWORK AT HALF SIZE WITH IMPORTED IMAGES AT A RESOLUTION OF 300dpi AT 50%, OR AT QUARTER SIZE AT A RESOLUTION OF 600dpi AT 25%

PLEASE ENSURE ANY BACKGROUND COLOUR / IMAGES EXTEND TO PROVIDE APPROX 5mm BLEED AT 100%

IF SUPPLYING INDESIGN OR QUARK FILES PLEASE SUPPLY ALL IMPORTED LINKS AND FONTS

CONVERT TEXT TO OUTLINES IN IMPORTED VECTOR FILES

IF SUPPLYING HI-RES PDFs ENSURE ADOBE PDF PRESET IS SET TO [PRESS QUALITY], AROBAT 4 (PDF 1.3), TRANSPARENCY FLATTENER SET TO [HI-RESOLUTION]

ACCEPTABLE FILE FORMATS: PDF, EPS, TIFF, JPEG, PS

WE HIGHLY RECOMMEND THAT YOU ALSO REFER TO OUR FILE PREPARATION GUIDELINES WHICH ARE DOWNLOADABLE FROM OUR WEBSITE


N.B. FAILURE TO SUPPLY FILES TO OUR SPECIFICATIONS MAY INCUR STUDIO CHARGES

PLEASE NOTE: VISUAL FOR ILLUSTRATIVE PURPOSES ONLY. DO NOT SCALE.

SPECIFICATIONS		
<p>GRAPHIC PANEL DIMENSIONS</p> <p>Front 673mm W x 2225mm H</p> <p>End 673mm W x 2225mm H</p> <p>Rear 810mm W x 2225mm H</p>	<p>ASSEMBLED DIMENSIONS</p> <p>2540mm W x 2235mm H x 685mm D</p>	<p>DRUM WRAP PANEL DIMENSIONS (ULTIMA ELIPSE)</p> <p>1725mm W x 770mm H</p>

PANEL JOINS: PLEASE AVOID TEXT / LETTERS FROM RUNNING OVER PANEL JOINS. TRY AND POSITION THE TEXT SO THAT THE JOIN EITHER GOES THROUGH WORD SPACES OR BETWEEN CHARACTERS, ADJUSTING THE KERNING AS NECESSARY.

END PANELS: PLEASE REMEMBER THAT TEXT / LOGOS ETC. PLACED CENTRALLY ON END PANELS MAY BE LOST ON THE CURVE WHEN VIEWED FROM THE FRONT.



ASSEMBLED
2235mm

ULTIMA EVOLUTION QUICK 3x4

IMPORTANT PLEASE NOTE:

IMPORTED RASTERISED AND VECTOR IMAGES ARE TO BE IN CMYK COLOUR MODE. RASTERISED IMAGES TO BE AT A RESOLUTION OF 150dpi AT 100%. IT IS ALSO POSSIBLE TO PRODUCE ARTWORK AT HALF SIZE WITH IMPORTED IMAGES AT A RESOLUTION OF 300dpi AT 50%, OR AT QUARTER SIZE AT A RESOLUTION OF 600dpi AT 25%

PLEASE ENSURE ANY BACKGROUND COLOUR / IMAGES EXTEND TO PROVIDE APPROX 5mm BLEED AT 100%

IF SUPPLYING INDESIGN OR QUARK FILES PLEASE SUPPLY ALL IMPORTED LINKS AND FONTS

CONVERT TEXT TO OUTLINES IN IMPORTED VECTOR FILES

IF SUPPLYING HI-RES PDFs ENSURE ADOBE PDF PRESET IS SET TO [PRESS QUALITY], ACROBAT 4 (PDF 1.3), TRANSPARENCY FLATTENER SET TO [HI-RESOLUTION]

ACCEPTABLE FILE FORMATS: PDF, EPS, TIFF, JPEG, PS

WE HIGHLY RECOMMEND THAT YOU ALSO REFER TO OUR FILE PREPARATION GUIDELINES WHICH ARE DOWNLOADABLE FROM OUR WEBSITE

N.B. FAILURE TO SUPPLY FILES TO OUR SPECIFICATIONS MAY INCUR STUDIO CHARGES


PLEASE NOTE: VISUAL FOR ILLUSTRATIVE PURPOSES ONLY. DO NOT SCALE.

SPECIFICATIONS		
GRAPHIC PANEL DIMENSIONS Front 673mm W x 2225mm H End 673mm W x 2225mm H Rear 810mm W x 2225mm H	ASSEMBLED DIMENSIONS 3070mm W x 2235mm H x 960mm D	DRUM WRAP PANEL DIMENSIONS (ULTIMA ELIPSE) 1725mm W x 770mm H

PANEL JOINS: PLEASE AVOID TEXT / LETTERS FROM RUNNING OVER PANEL JOINS. TRY AND POSITION THE TEXT SO THAT THE JOIN EITHER GOES THROUGH WORD SPACES OR BETWEEN CHARACTERS, ADJUSTING THE KERNING AS NECESSARY.

END PANELS: PLEASE REMEMBER THAT TEXT / LOGOS ETC. PLACED CENTRALLY ON END PANELS MAY BE LOST ON THE CURVE WHEN VIEWED FROM THE FRONT.

ASSEMBLED
1225mm



ASSEMBLED
3430mm

ASSEMBLED
2235mm

ULTIMA EVOLUTION QUICK 3x5

IMPORTANT PLEASE NOTE:

IMPORTED RASTERISED AND VECTOR IMAGES ARE TO BE IN CMYK COLOUR MODE. RASTERISED IMAGES TO BE AT A RESOLUTION OF 150dpi AT 100%. IT IS ALSO POSSIBLE TO PRODUCE ARTWORK AT HALF SIZE WITH IMPORTED IMAGES AT A RESOLUTION OF 300dpi AT 50%, OR AT QUARTER SIZE AT A RESOLUTION OF 600dpi AT 25%

PLEASE ENSURE ANY BACKGROUND COLOUR / IMAGES EXTEND TO PROVIDE APPROX 5mm BLEED AT 100%

IF SUPPLYING INDESIGN OR QUARK FILES PLEASE SUPPLY ALL IMPORTED LINKS AND FONTS


CONVERT TEXT TO OUTLINES IN IMPORTED VECTOR FILES

IF SUPPLYING HI-RES PDFs ENSURE ADOBE PDF PRESET IS SET TO [PRESS QUALITY], AROBAT 4 (PDF 1.3), TRANSPARENCY FLATTENER SET TO [HI-RESOLUTION]

ACCEPTABLE FILE FORMATS: PDF, EPS, TIFF, JPEG, PS

WE HIGHLY RECOMMEND THAT YOU ALSO REFER TO OUR FILE PREPARATION GUIDELINES WHICH ARE DOWNLOADABLE FROM OUR WEBSITE

N.B. FAILURE TO SUPPLY FILES TO OUR SPECIFICATIONS MAY INCUR STUDIO CHARGES




PLEASE NOTE: VISUAL FOR ILLUSTRATIVE PURPOSES ONLY. DO NOT SCALE.

SPECIFICATIONS		
<p>GRAPHIC PANEL DIMENSIONS</p> <p>Front 673mm W x 2225mm H End 673mm W x 2225mm H Rear 810mm W x 2225mm H</p>	<p>ASSEMBLED DIMENSIONS</p> <p>3430mm W x 2235mm H x 1225mm D</p>	<p>DRUM WRAP PANEL DIMENSIONS (ULTIMA ELIPSE)</p> <p>1725mm W x 770mm H</p>

PANEL JOINS: PLEASE AVOID TEXT / LETTERS FROM RUNNING OVER PANEL JOINS. TRY AND POSITION THE TEXT SO THAT THE JOIN EITHER GOES THROUGH WORD SPACES OR BETWEEN CHARACTERS, ADJUSTING THE KERNING AS NECESSARY.

END PANELS: PLEASE REMEMBER THAT TEXT / LOGOS ETC. PLACED CENTRALLY ON END PANELS MAY BE LOST ON THE CURVE WHEN VIEWED FROM THE FRONT.



ULTIMA EVOLUTION QUICK MIDI 3x1

ASSEMBLED
1860mm

IMPORTANT PLEASE NOTE:

IMPORTED RASTERISED AND VECTOR IMAGES ARE TO BE IN CMYK COLOUR MODE. RASTERISED IMAGES TO BE AT A RESOLUTION OF 150dpi AT 100%. IT IS ALSO POSSIBLE TO PRODUCE ARTWORK AT HALF SIZE WITH IMPORTED IMAGES AT A RESOLUTION OF 300dpi AT 50%, OR AT QUARTER SIZE AT A RESOLUTION OF 600dpi AT 25%

PLEASE ENSURE ANY BACKGROUND COLOUR / IMAGES EXTEND TO PROVIDE APPROX 5mm BLEED AT 100%

IF SUPPLYING INDESIGN OR QUARK FILES PLEASE SUPPLY ALL IMPORTED LINKS AND FONTS


CONVERT TEXT TO OUTLINES IN IMPORTED VECTOR FILES

IF SUPPLYING HI-RES PDFs ENSURE ADOBE PDF PRESET IS SET TO [PRESS QUALITY], ADOBE ACROBAT 4 (PDF 1.3), TRANSPARENCY FLATTENER SET TO [HI-RESOLUTION]

ACCEPTABLE FILE FORMATS: PDF, EPS, TIFF, JPEG, PS

WE HIGHLY RECOMMEND THAT YOU ALSO REFER TO OUR FILE PREPARATION GUIDELINES WHICH ARE DOWNLOADABLE FROM OUR WEBSITE

N.B. FAILURE TO SUPPLY FILES TO OUR SPECIFICATIONS MAY INCUR STUDIO CHARGES



PLEASE NOTE: VISUAL FOR ILLUSTRATIVE PURPOSES ONLY. DO NOT SCALE.

SPECIFICATIONS

GRAPHIC PANEL DIMENSIONS

Front 550mm W x 1850mm H
 End 673mm W x 1850mm H
 Rear 675mm W x 1850mm H

ASSEMBLED DIMENSIONS


1105mm W x 1860mm H x 340mm D

DRUM WRAP PANEL DIMENSIONS

(ULTIMA ELIPSE)
 1725mm W x 770mm H

PANEL JOINS: PLEASE AVOID TEXT / LETTERS FROM RUNNING OVER PANEL JOINS. TRY AND POSITION THE TEXT SO THAT THE JOIN EITHER GOES THROUGH WORD SPACES OR BETWEEN CHARACTERS, ADJUSTING THE KERNING AS NECESSARY.

END PANELS: PLEASE REMEMBER THAT TEXT / LOGOS ETC. PLACED CENTRALLY ON END PANELS MAY BE LOST ON THE CURVE WHEN VIEWED FROM THE FRONT.



ULTIMA EVOLUTION QUICK MIDI 3x2

ASSEMBLED
1860mm

IMPORTANT PLEASE NOTE:

IMPORTED RASTERISED AND VECTOR IMAGES ARE TO BE IN CMYK COLOUR MODE. RASTERISED IMAGES TO BE AT A RESOLUTION OF 150dpi AT 100%. IT IS ALSO POSSIBLE TO PRODUCE ARTWORK AT HALF SIZE WITH IMPORTED IMAGES AT A RESOLUTION OF 300dpi AT 50%, OR AT QUARTER SIZE AT A RESOLUTION OF 600dpi AT 25%

PLEASE ENSURE ANY BACKGROUND COLOUR / IMAGES EXTEND TO PROVIDE APPROX 5mm BLEED AT 100%

IF SUPPLYING INDESIGN OR QUARK FILES PLEASE SUPPLY ALL IMPORTED LINKS AND FONTS


CONVERT TEXT TO OUTLINES IN IMPORTED VECTOR FILES

IF SUPPLYING HI-RES PDFs ENSURE ADOBE PDF PRESET IS SET TO **[PRESS QUALITY]**, ACROBAT 4 (PDF 1.3), TRANSPARENCY FLATTENER SET TO **[HI-RESOLUTION]**

ACCEPTABLE FILE FORMATS: PDF, EPS, TIFF, JPEG, PS

WE HIGHLY RECOMMEND THAT YOU ALSO REFER TO OUR FILE PREPARATION GUIDELINES WHICH ARE DOWNLOADABLE FROM OUR WEBSITE

N.B. FAILURE TO SUPPLY FILES TO OUR SPECIFICATIONS MAY INCUR STUDIO CHARGES



PLEASE NOTE: VISUAL FOR ILLUSTRATIVE PURPOSES ONLY. DO NOT SCALE.

SPECIFICATIONS

GRAPHIC PANEL DIMENSIONS

Front 550mm W x 1850mm H
 End 673mm W x 1850mm H
 Rear 675mm W x 1850mm H

ASSEMBLED DIMENSIONS


1670mm W x 1860mm H x 460mm D

DRUM WRAP PANEL DIMENSIONS

(ULTIMA ELIPSE)
 1725mm W x 770mm H

PANEL JOINS: PLEASE AVOID TEXT / LETTERS FROM RUNNING OVER PANEL JOINS. TRY AND POSITION THE TEXT SO THAT THE JOIN EITHER GOES THROUGH WORD SPACES OR BETWEEN CHARACTERS, ADJUSTING THE KERNING AS NECESSARY.

END PANELS: PLEASE REMEMBER THAT TEXT / LOGOS ETC. PLACED CENTRALLY ON END PANELS MAY BE LOST ON THE CURVE WHEN VIEWED FROM THE FRONT.



ULTIMA EVOLUTION QUICK MIDI 3x3

ASSEMBLED
1860mm

IMPORTANT PLEASE NOTE:

IMPORTED RASTERISED AND VECTOR IMAGES ARE TO BE IN CMYK COLOUR MODE. RASTERISED IMAGES TO BE AT A RESOLUTION OF 150dpi AT 100%. IT IS ALSO POSSIBLE TO PRODUCE ARTWORK AT HALF SIZE WITH IMPORTED IMAGES AT A RESOLUTION OF 300dpi AT 50%, OR AT QUARTER SIZE AT A RESOLUTION OF 600dpi AT 25%

PLEASE ENSURE ANY BACKGROUND COLOUR / IMAGES EXTEND TO PROVIDE APPROX 5mm BLEED AT 100%

IF SUPPLYING INDESIGN OR QUARK FILES PLEASE SUPPLY ALL IMPORTED LINKS AND FONTS

CONVERT TEXT TO OUTLINES IN IMPORTED VECTOR FILES

IF SUPPLYING HI-RES PDFs ENSURE ADOBE PDF PRESET IS SET TO **[PRESS QUALITY]**, ACROBAT 4 (PDF 1.3), TRANSPARENCY FLATTENER SET TO **[HI-RESOLUTION]**

ACCEPTABLE FILE FORMATS: PDF, EPS, TIFF, JPEG, PS

WE HIGHLY RECOMMEND THAT YOU ALSO REFER TO OUR FILE PREPARATION GUIDELINES WHICH ARE DOWNLOADABLE FROM OUR WEBSITE

N.B. FAILURE TO SUPPLY FILES TO OUR SPECIFICATIONS MAY INCUR STUDIO CHARGES


PLEASE NOTE: VISUAL FOR ILLUSTRATIVE PURPOSES ONLY. DO NOT SCALE.

SPECIFICATIONS

GRAPHIC PANEL DIMENSIONS	ASSEMBLED DIMENSIONS	DRUM WRAP PANEL DIMENSIONS (ULTIMA ELIPSE)
Front 550mm W x 1850mm H	2200mm W x 1860mm H x 590mm D	1725mm W x 770mm H
End 673mm W x 1850mm H		
Rear 675mm W x 1850mm H		

PANEL JOINS: PLEASE AVOID TEXT / LETTERS FROM RUNNING OVER PANEL JOINS. TRY AND POSITION THE TEXT SO THAT THE JOIN EITHER GOES THROUGH WORD SPACES OR BETWEEN CHARACTERS, ADJUSTING THE KERNING AS NECESSARY.

END PANELS: PLEASE REMEMBER THAT TEXT / LOGOS ETC. PLACED CENTRALLY ON END PANELS MAY BE LOST ON THE CURVE WHEN VIEWED FROM THE FRONT.



ULTIMA EVOLUTION QUICK MIDI 3x4

ASSEMBLED 1860mm

IMPORTANT PLEASE NOTE:

IMPORTED RASTERISED AND VECTOR IMAGES ARE TO BE IN CMYK COLOUR MODE. RASTERISED IMAGES TO BE AT A RESOLUTION OF 150dpi AT 100%. IT IS ALSO POSSIBLE TO PRODUCE ARTWORK AT HALF SIZE WITH IMPORTED IMAGES AT A RESOLUTION OF 300dpi AT 50%, OR AT QUARTER SIZE AT A RESOLUTION OF 600dpi AT 25%

PLEASE ENSURE ANY BACKGROUND COLOUR / IMAGES EXTEND TO PROVIDE APPROX 5mm BLEED AT 100%

IF SUPPLYING INDESIGN OR QUARK FILES PLEASE SUPPLY ALL IMPORTED LINKS AND FONTS

CONVERT TEXT TO OUTLINES IN IMPORTED VECTOR FILES

IF SUPPLYING HI-RES PDFs ENSURE ADOBE PDF PRESET IS SET TO **[PRESS QUALITY]**, ADOBE ACROBAT 4 (PDF 1.3), TRANSPARENCY FLATTENER SET TO **[HI-RESOLUTION]**

ACCEPTABLE FILE FORMATS: PDF, EPS, TIFF, JPEG, PS

WE HIGHLY RECOMMEND THAT YOU ALSO REFER TO OUR FILE PREPARATION GUIDELINES WHICH ARE DOWNLOADABLE FROM OUR WEBSITE

N.B. FAILURE TO SUPPLY FILES TO OUR SPECIFICATIONS MAY INCUR STUDIO CHARGES

PLEASE NOTE: VISUAL FOR ILLUSTRATIVE PURPOSES ONLY. DO NOT SCALE.

SPECIFICATIONS		
<p>GRAPHIC PANEL DIMENSIONS</p> <p>Front 550mm W x 1850mm H</p> <p>End 673mm W x 1850mm H</p> <p>Rear 675mm W x 1850mm H</p>	<p>ASSEMBLED DIMENSIONS</p> <p>2610mm W x 1860mm H x 840mm D</p>	<p>DRUM WRAP PANEL DIMENSIONS (ULTIMA ELIPSE)</p> <p>1725mm W x 770mm H</p>

PANEL JOINS: PLEASE AVOID TEXT / LETTERS FROM RUNNING OVER PANEL JOINS. TRY AND POSITION THE TEXT SO THAT THE JOIN EITHER GOES THROUGH WORD SPACES OR BETWEEN CHARACTERS, ADJUSTING THE KERNING AS NECESSARY.

END PANELS: PLEASE REMEMBER THAT TEXT / LOGOS ETC. PLACED CENTRALLY ON END PANELS MAY BE LOST ON THE CURVE WHEN VIEWED FROM THE FRONT.